Mad River Groundwater Basin, Dows Prairie Subbasin

Groundwater Basin Number: 1-8.02

• County: Humbolt

• Surface Area: 14,000 acres (square miles)

Basin Boundaries and Hydrology

The Dows Prairie Subbasin is located on the coast north of the Mad River Lowland Subbasin and is bounded by Little River to the north and Mad River to the south. The subbasin is bounded to the east by the Franciscan Formation (Strand 1962). The region is an elevated terrace drained by Mill Creek, Strawberry Creek, and White Creek. Development of groundwater is primarily in the western portion of the subbasin. The Hookton Formation is the main geologic unit in the area. The Franciscan Formation underlies the Hookton Formation and is essentially nonwater-bearing.

Annual precipitation in the basin ranges from 39- to 53-inches, increasing to the northeast.

Hydrogeologic Information

The following information is taken from DWR (1965) unless noted otherwise.

Water-Bearing Formations

The Quaternary Hookton Formation is the water-bearing formation in the subbasin.

Pleistocene Hookton Formation. The Hookton Formation consists of clay, sand, and thin gravel beds. Near McKinleyville, the formation is at least 150 feet thick and may be over 200 feet thick in other areas. The formation has moderately low permeability and supplies unconfined groundwater to many domestic wells. Sanding is a problem in most wells. Little information is available regarding groundwater in the eastern portion of the subbasin.

Recharge Areas

Recharge occurs by rainfall infiltration.

Groundwater Level Trends

Seasonal fluctuations of groundwater levels in the subbasin range from 9 to 11-feet.

Groundwater Storage

Groundwater Storage Capacity.

The usable storage capacity for the western portion of the basin is estimated to be 10,500 acre-feet. This estimate is based on a saturated depth interval of 10 to 150-feet, a surface area of 6,500 acres, and a specific yield of 11 to 12-percent.

Groundwater Budget (Type B)

Estimates of groundwater extraction are based on a survey conducted by the California Department of Water Resources in 1996. The survey included land use and sources of water. Estimates of groundwater extraction for agricultural and municipal/industrial uses are 2,100 and 80 acre-feet respectively. Deep percolation from applied water is estimated to be 500 acre-feet.

Groundwater Quality

Characterization. The major water types in the basin is calcium-magnesium bicarbonate and magnesium-sodium bicarbonate waters. Total dissolved solids range from 55- to 145-mg/L (DWR unpublished data).

Water Quality in Public Supply Wells

| _ | | |
|--------------------------------|--------------------------------------|--|
| Constituent Group ¹ | Number of wells sampled ² | Number of wells with a concentration above an MCL ³ |
| Inorganics – Primary | 2 | 0 |
| Radiological | 2 | 0 |
| Nitrates | 3 | 0 |
| Pesticides | 1 | 0 |
| VOCs and SVOCs | 1 | 0 |
| Inorganics – Secondary | 2 | 2 |

¹ A description of each member in the constituent groups and a generalized discussion of the relevance of these groups are included in *California's Groundwater* – *Bulletin 118* by DWR (2003).

Well Characteristics

| Well yields (gal/min) | | | | |
|-----------------------|-----------------|---|--|--|
| Irrigation | NKD | | | |
| Total depths (ft) | | | | |
| Domestic | Range: 19 - 455 | Average: 78 (289 Well Completion | | |
| Municipal/Irrigation | Range: 36 - 300 | Reports) Average: 104 (6 Well Completion Reports) | | |

NKD – No known data.

² Represents distinct number of wells sampled as required under DHS Title 22 program from 1994 through 2000.
³ Each well reported with a concentration above an MCL was confirmed with a

³ Each well reported with a concentration above an MCL was confirmed with a second detection above an MCL. This information is intended as an indicator of the types of activities that cause contamination in a given basin. It represents the water quality at the sample location. It does not indicate the water quality delivered to the consumer. More detailed drinking water quality information can be obtained from the local water purveyor and its annual Consumer Confidence Report.

Active Monitoring Data

| Agency | Parameter | Number of wells /measurement frequency |
|---|--------------------------------|---|
| DWR | Groundwater levels | |
| DWR | Miscellaneous water quality | 3 wells biennially |
| Department of Health Services and cooperators | Miscellaneous water quality | |

Basin Management

| Groundwater management: | No known groundwater management plans, groundwater ordinances, or basin adjudications. |
|-------------------------|--|
| Water agencies | |
| Public | Fieldbrook CSD, McKinleyville CSD, Humboldt Bay MWD, Manila CSD |
| Private | |

Selected References

- California Department of Water Resources (DWR). 1965. Water Resources and Future Requirements. North Coastal Hydrographic Area. Volume 1: Southern Portion. Bulletin 142-1.
- Clark, Samuel H. Jr. 1990. Map Showing Geologic Structures of the Northern California Continental Margin. United States Geological Survey.
- Strand RG. 1977. Geologic Map of California [Redding Sheet]. Scale 1:250,000. California Division of Mines and Geology.

Bibliography

- Bailey EH. 1966. Geology of Northern California. California Division of Mines and Geology. Bulletin 190.
- California Department of Water Resources. 1958. Ground Water Conditions in Central and Northern California 1957-58. California Department of Water Resources. Bulletin 77-58.
- California Department of Water Resources. 1958. Preliminary Investigation of Mad River. California Department of Water Resources. Office Report.
- California Department of Water Resources. 1960. Northeastern Counties Investigation. California Department of Water Resources. Bulletin 58.
- California Department of Water Resources. 1964. Quality of Ground Water in California 1961-62, Part 1: Northern and Central California. California Department of Water Resources. Bulletin 66-62.
- California Department of Water Resources. 1973. Sea Water Intrusion and Ground Water Monitoring Programs in the Eureka Area. California Department of Water Resources, Northern District.
- California Department of Water Resources. 1975. California's Ground Water. California Department of Water Resources. Bulletin 118.
- California Department of Water Resources. 1980. Ground Water Basins in California. California Department of Water Resources. Bulletin 118-80.

- California Department of Water Resources. 1981. 1981 Monitoring Program Priority 1 Groundwater Basins, Report to State Water Resources Control Board, Division of Planning. California Department of Water Resources.
- California Department of Water Resources. 1982. Mad River Watershed Erosion Investigation. California Department of Water Resources, Northern District.
- California Department of Water Resources. 1998. California Water Plan Update. California Department of Water Resources. Bulletin 160-98, Volumes 1 and 2.
- California State-Federal Interagency Group. 1961. Eel and Mad River Basin Master Plan: Hydrology. Sacramento: California State-Federal Interagency Group.
- California State-Federal Interagency Group. 1968. Eel and Mad River Basins Master Plan: Plan of Study. Sacramento: California State-Federal Interagency Group.
- California State-Federal Interagency Group, United States Army Corps of Engineers. 1969. Eel and Mad River Basins Master Plan: Hydrology. Sacramento: California State-Federal Interagency Group and United States Army Corps of Engineers.
- Dickinson WR, Ingersoll RV, Grahm SA. 1979. Paleogene Sediment Dispersal and Paleotectonics in Northern California. Geological Society of America Bulletin 90:1458-1528.
- Dupre WR, Morrison RB, Clifton HE, Lajoie KR, Ponti DJ. 1991. Quaternary Geology of the Pacific Margin. USGS.
- Evenson, R.E. 1959. Geology and Groundwater Features of Eureka Area, Humboldt County, California. USGS Water Supply Paper 1470.
- Fuller, R.H. 1975. Water Quality in the Mad River Basin, Humboldt and Trinity Counties, California. USGS Water Resources Investigations 44-75.
- Fraticelli LA, Albers JP, Irwin WP, Blake MC. 1987. Geologic Map of the Redding 1 x 2 Degree Quadrangle, Shasta, Tehama, Humboldt, and Trintity Counties, California. USGS. OF-87-257.
- Johnson MJ. 1978. Ground-Water Conditions in the Eureka Area, Humboldt County, California, 1975. USGS. WRI 78-127.
- Planert M, Williams JS. 1995. Ground Water Atlas of the United States, Segment 1, California, Nevada. USGS. HA-730-B.
- Rantz SE. 1964. Surface-water Hydrology of Coastal Basins of Northern California. USGS. 1758.
- Todd DK. 1992. Groundwater Reconnaissance of the Humboldt Bay Area (For Humboldt Bay Municipal Water District, Eureka, CA.). Consulting Engineers, Inc.
- United States Army Corps of Engineers. 1968. Interim Report for Water Resources
 Development on Mad River, California. United States Army Corps of Engineers.
- United States Bureau of Reclamation. 1960. Natural Resources of Northwestern California. Report Appendix-Plans of Water Development. United States Bureau of Reclamation.

Errata

Changes made to the basin description will be noted here.